

•ecma JIT-Företagen

Product environmental attributes – THE ECO DECLARATION

Brand *	EIZO	Logo
Company name *	EIZO NANAO CORPORATION	A.
Contact information *	Environment, Safety & EMC Section, Quality Assurance Department	EIZO
Internet site *	http://www.eizo.com/	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	LCD Monitor			
Commercial name *	61cm (24.1inch) class Color LCD Monitor			
Model number *	FlexScan S2402W			
Issue date *	17 September 2008			
Intended market *	🛛 Global 📃 Europe 📃 Japan 📃 U.S. 📃 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality C	Control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		\square

Model number *	FlexScan S2402W		
Issue date *	17 September 2008	Logo	

Product e	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>	\square		
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (<i>EU</i> : <i>Regulation (EC) No.</i> 2037/2000, 2038/2000, 2039/2000)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	\boxtimes		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (<i>EU 76/769/EEC</i>)			\square
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (<i>EU 76/769/EEC</i>)			\square
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			\square
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			\square
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC			\boxtimes
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			\boxtimes
P3	Electrical safety, EMC and connection to the telephone network		• •	
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	\times		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 th 2007	\boxtimes		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)			\square
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			\boxtimes
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	\boxtimes		
P5.3*	The product packaging material is free from CFC/HCFC.	\boxtimes		
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	\boxtimes		

Model number *	FlexScan S2402W		
Issue date *	17 September 2008	Logo	EIZO

Product		Requiren				
Item	*=mandatory to f	ill in. Additional informa	ation regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disassembly, re	ecycling				
P7.1*	Parts that have to	o be treated separately	/ are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.					
P7.3*	Plastic parts >10	Og consist of one mate	erial or of easily separable materials.		Π	
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.					
P7.5			or have inlays that can be removed with commonly available tools.		Ħ	Ħ
P7.6*			irement does not apply to safety/regulatory labels).		H	H
	Product lifetime					
P7.7*			ssor, memory, cards or drives			
P7.8*		e done using commonl			Ħ	
P7.9.		ų.	roduction for: 7 years			
P7.10		ble after end of product				─₩
17.10		bie alter end of product	•			
P7.11*		busing material type:	5			
	Material type: F	• •	Material type: PS Material type:			
P7.12*			ower cables are halogen free (including PVC)		\boxtimes	
P7.13*		· · · · · · · · · · · · · · · · · · ·	gnal cables are halogen free (including PVC)	- =		H
P7.14		plastic parts >25g are				⊢⊢
P7.15			onents) >25g are halogen free			╶╞╡
P7.16			ants in cover / housing plastic parts >25g according ISO 1043-4:			
P7.17			ants in printed circuit boards (without components) >25g according			
P7.18		ed material in plastic pa	arts is less than 10g			
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, R50/51/53 and R60/61 (67/548/EEC)					
P7.20	Light sources are free from mercury If mercury is used specify: Number of lamps: 4 and max. mercury content per lamp: 3.5 mg					
P8	Batteries					
P8.1*	Product does not	t contain batteries defir	ned as hazardous according to 91/157/EEC			\square
P8.2*			Battery chemical composition:			\square
P8.3	Batteries meet th	ne requirements of the	following voluntary program/s:			\square
P9	Energy consum					
9.1			els or energy consumptions have been measured:		,	
Mode	Power level at * 100–120/200– 240 Volts	Time (s) to <mode></mode>	Mode description	Reference Standard		n.a.
On-max	58W		* Speaker working	*		
On-	* 54 ₩	to	* Speaker not working	*		
normal						
On-idle	W	to	*	*		\square
Save 1	* 0.7W	to	* for single signal input, when stereo mini jack is not connected	*		
Save 2	W	to	*	*		\square
Off 1	* 0.5 W	to	* when stereo mini jack cable is not connected	*		
Off 2	0 W	to	* when main swich off	*		Π
No load	* W		External power supplies/charger plugged in but disconnected from the product	*		
TEC		Typical Energy Consur		*		\square
P9.2*	Information abou	it the energy save func	tion is provided with the product.			
P9.3		ets the energy requirem ® MOU Ver.4.1 Tier 2	nents of the following voluntary program/s:			

Model number *	FlexScan S2402W		
Issue date *	17 September 2008	Logo	

Product environmental attributes - Market requirements (continued) Requirement met								
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a.							
P10	Emissions							
-								
	Noise emission	 Declared according to ISO 9296 						
D40.4	Maria		Declared	Destand	A successful to all			
P10.1	Mode	Mode description	Declared A-weighted		A-weighted e level L _{pAm} (dB)			
			sound power	Operator position	Bystander positions			
			level L _{WAd} (B)					
				Desktop	(only if product is not			
				or Deskside	operator attended)			
	Idle	*	*			\boxtimes		
	laio							
	Operation	*	*			\square		
	Otherseed					-		
	Other mode							
	Measured accor	ding to: ISO 7779 ECMA-74						
	incasarca accor		d by ECMA-74 wit	h L _{pAm} measurement d	listance m)			
P10.2	The product mee	ets the acoustic noise requirements of the fo						
		sions from printing products						
P10.3*		according to ECMA-328 standard , other	specify:			\square		
	The test covers:		<u> </u>					
P10.4	The product meets the chemical emission requirements of the following voluntary program/s:							
	Electromagnetic emissions							
P10.5		y meets the requirement for low frequency of	electromagnetic fie	elds of the following vol	luntary			
	program/s: TCO'	03	5	0				
P11	Consumable m	aterials for printing products						
P11.1*	A Material Safety (see P4.3).	y Data Sheet (MSDS) is available for the inl	<pre></pre>	, even if not legally rec	quired	\boxtimes		
P11.2*	(g recycled fibres that meets the requirement	s of EN12281 can	be used.		\boxtimes		
P11.3*		printing/copying is an integrated product fu						
P12		computing products						
P12.1*		stem meets the ergonomic requirements of	EN 29241-3, -7, -	8 for CRT displays				
	and EN-ISO134	06-2 for flat panel displays.						
P12.2*	The product keyboard meets the requirements of ISO 9995 and EN 29241-4.							
P12.3*		put device meets the requirements of ISO 9	0241-9.			\boxtimes		
P13	Packaging and							
P13.1*		ng material type(s): Corrugated board	weight (kg):					
		ng material type(s): EPS	weight (kg):					
P13.2*		ng material type(s): PE	weight (kg):	0.00				
P13.2 P13.3*	Product plastic packaging is halogen free (including PVC)							
P13.3* P13.4*	User and product documentation do not contain chlorine bleached paper							
	User and product documentation contain recycled paper							
P14	Additional information These data are with Height Adjustable Stand regarding P13.							