



Product environmental attributes - THE ECO DECLARATION

Brand *	EIZO	Logo
Company name *	EIZO NANAO CORPORATION	
Contact information *	Environment, Safety & EMC Section, Quality Assurance Department	EIZO
Internet site *	http://www.eizo.com/	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	LCD Monitor			
Commercial name *	61cm (24.1inch) class Color LCD Monitor			
Model number *	FlexScan S2433W			
Issue date *	30 July 2009			
Intended market *	☐ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality C	control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	FlexScan S2433W		
Issue date *	30 July 2009	Logo	EIZO

Product	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in EU 2002/95/EC and its amendments			
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (EU: Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	\boxtimes		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC			
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			\boxtimes
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	\boxtimes		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 th 2007			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)			
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	X		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	\boxtimes		
P5.3*	The product packaging material is free from CFC/HCFC.			Ī
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	\boxtimes		

Model number *	FlexScan S2433W		
Issue date *	30 July 2009	Logo	EIZO

Product environmental attributes - Market requirements - Environmental conscious design Requirement met							
Item	*=mandatory to f		ation regarding each item may be found under P14.	Yes	No	n.a.	
P7	Design Disassembly, re		,			_	
P7.1*		o be treated separately	are easily separable	\boxtimes	П		
P7.2*	Plastic materials	in covers/housing have	e no surface coating.		П		
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.				П		
P7.4*		-	according to ISO 11469 referring ISO 1043.		Н		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.				Ħ		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).				Н		
	Product lifetime						
P7.7*			ssor, memory, cards or drives		П	\square	
P7.8*	Upgrading can b	e done using commonl	y available tools		Ħ	X	
P7.9.		available after end of p					
P7.10		ble after end of product					
		bstance requirements	•				
P7.11*		ousing material type:					
	Material type: F		Material type: PS Material type:				
P7.12*	Electrical cable in	nsulation material of po	ower cables are halogen free (including PVC)		\boxtimes		
P7.13*			gnal cables are halogen free (including PVC)		\boxtimes		
P7.14	All cover/housing	g plastic parts >25g are	halogen free	\boxtimes			
P7.15	All printed circuit	boards (without compo	onents) >25g are halogen free		\boxtimes		
P7.16	Chemical specific FR(40)	cations of flame retarda	ants in cover / housing plastic parts >25g according ISO 1043-4:	\boxtimes			
P7.17	Chemical specific ISO 1043-4: FR		ants in printed circuit boards (without components) >25g according				
P7.18		ed material in plastic pa					
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, R50/51/53 and R60/61 (67/548/EEC)						
P7.20	Light sources are free from mercury If mercury is used specify: Number of lamps: 6 and max. mercury content per lamp: 4.5 mg						
P8	Batteries	t aantain battaniaa dafir	and an harmonia a consider to 04/457/550				
P8.1*	Product does not	t contain batteries defir	ned as hazardous according to 91/157/EEC				
P8.2*	5		Battery chemical composition:				
P8.3		<u> </u>	following voluntary program/s:	_			
P9 9.1	Energy consum		els or energy consumptions have been measured:				
Mode	Power level at * 100-120/200- 240 Volts	Time (s) to <mode></mode>	Mode description	Reference		n.a.	
On-max	90W		* with USB load, Speaker working	*			
On-	* 80W	to	* without USB load, Speaker not working	*		\vdash	
normal	0011	.0	Without OOD load, opeanor not working			Ш	
On-idle	W	to	*	*		X	
Save 1	* 1.5W	to	* for D-Sub single signal input, without USB load, when stereo mini jack cable is not connected, [Input Signal] "Manual"	*			
Save 2	W	to	*	*		\boxtimes	
Off 1	* 1W	to	* without USB load, when stereo mini jack cable is not connected	*			
Off 2	0 W	to	* when main swich off	*			
No load	* W		External power supplies/charger plugged in but disconnected from the product	*			
TEC	* kWh/y	Typical Energy Consun	nption per year	*			
P9.2*	Information abou	it the energy save func	tion is provided with the product.				
P9.3		ets the energy requirem ® MOU Ver.4.1 Tier 2	nents of the following voluntary program/s:				

Model number *	FlexScan S2433W		
Issue date *	30 July 2009	Logo	EIZO

Duralizat		ttelle et a				
Item		ttributes - Market requirements (conting fill in. Additional information regarding ea			Yes No	n 0
P10	Emissions	III III. Additional information regarding ea	ich item may be lound	under F14.	TES INU	n.a.
	2					
	Noise emission	n – Declared according to ISO 9296				
P10.1	Mode Mode description Declared Declared A-weighted					
	A-weighted sound pressure level L _{pAm} (dB)					
			sound power	Operator position	Bystander positions	
			level L _{WAd} (B)		(and all and about the sect	
				Desktop	(only if product is not operator attended)	
				or Deskside	operator attended)	
	Idle	*	*			
	Operation	*	*			
	Operation					
	Other mode					
	Measured accor					
5	<u> </u>			h L _{pAm} measurement d	distance m)	
P10.2	•	eets the acoustic noise requirements of th	e following voluntary	program/s:		
D40.0*		sions from printing products				
P10.3*			her specify:			
	The test covers					
P10.4						\boxtimes
D40.5	Electromagnet			lala af tha fallaccia acce	luntam.	
P10.5	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s: TCO Displays 5.0					
P11	Consumable materials for printing products					
P11.1*						\square
	(see P4.3).					
P11.2*	<u> </u>					
P11.3*						\boxtimes
P12		or computing products	(EN 000 11 0 7	0 (ODT !: 1		
P12.1*		system meets the ergonomic requirements 106-2 for flat panel displays.	s of EN 29241-3, -7, -	8 for CR i displays		
P12.2*		yboard meets the requirements of ISO 99	95 and EN 29241-4.			\square
P12.3*	The computer in	nput device meets the requirements of IS	O 9241-9.			X
P13	Packaging and	I documentation				
P13.1*	Product packag	ing material type(s): Corrugated board	weight (kg):	1.76		
		ing material type(s): EPS	weight (kg):			
	Product packaging material type(s): PE weight (kg): 0.05					
P13.2*		packaging is halogen free (including PVC	•			
P13.3*	User and product documentation do not contain chlorine bleached paper					
P13.4*	User and product documentation contain recycled paper					
P14	Additional info					
	These data are v	with Height Adjustable Stand regarding P13	•			